

Alberta Swine Improvement Program

CANADIANA
Ed
JUN 29 1987

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

June 1 - 15, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

1
B O A R D

FARMER PHONE	SIRE IDENTIFICATION	FAT (MM)	SIRE	SIRE'S	PIG IDENTIFICATION	BACKFAT	AGE	INDEX
			E.B.V.	EBV		(MM) TO	DAYS	
YORKSHIRE								
Vista Farms	12 month average				58 pigs	(14.0)	(170)	100
98	GWYN 14308T				GWYN 16104U	12.7	180	96
	AOGK 741T				" 16202U	11.8	183	99
	"				" 16203U	9.5	166	142
	"				" 16206U	7.0	173	154
	"				" 16601U	9.4	165	143
	"				" 16604U	9.8	159	149
	"				" 16901U	13.4	160	119
	"				" 16902U	11.3	160	136
n, G.	12 month average				37 pigs	(12.6)	(155)	100
25	AREE 351S	+2.8	-2.9	60	GARY 500U	12.3	155	103
	"	"	"	"	" 501U	12.3	152	109
	"	"	"	"	" 502U	11.0	164	106
	"	"	"	"	" 503U	10.9	155	122
a, G.	12 month average				185 pigs	(13.2)	(154)	100
Lake								
56	KKEF 2193S	-1.2	-4.8	141	KKEF 3012U	11.7	166	95
	RITR 33U	"	"	"	" 3040U	11.9	180	66
	"	"	"	"	" 3043U	11.6	174	82
	"	"	"	"	" 3111U	10.7	151	138
	KKEF 342U				" 16W	13.7	163	76
	RITR 33U				" 51W	12.7	145	126
	"				" 52W	15.0	143	99
	KKEF 2873T				" 84W	16.3	161	49
	DOUG 354T				" 231W	12.3	147	124
B.	12 month average				128 pigs	(14.1)	(149)	100
95	YRZN 575T (1)				MILN 849U	10.1	164	124
	"				" 850U	11.8	175	79
	"				" 851U	11.3	166	104
	KKEF 2332T (1)				" 1W	11.5	147	140
	"				" 2W	13.1	154	104
	"				" 9W	11.3	147	142
	"				" 10W	15.3	151	80
	"				" 11W	12.6	153	113
	"				" 18W	12.4	147	127
	"				" 19W	9.9	156	143
ille Colony	12 month average				(Not Available)			
ille								
18	JKAA 1061T				MCMC 74W	12.5	141	
	"				" 75W	13.2	145	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDY
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Reiter Farms Iron Springs 738-4472	12 month average				123 pigs	(13.0)	(152)	100
	KKEF 440T	-1.6	-1.6	136	RITR 1864U	9.7	156	123
	KKEF 1053S	-2.6	-1.1	150	" 1926U	10.5	150	126
	"	"	"	"	" 1927U	11.8	165	88
	KKEF 440T	-1.6	-1.6	136	" 23W	11.1	143	133
	"	"	"	"	" 25W	10.6	143	138
Roeske, M. Alcomdale 939-4938	12 month average				46 pigs	(15.1)	(150)	100
	YRZN 575T (1)				ROSE 527U	13.3	163	97
	"				" 528U	15.8	144	104
	"				" 529U	14.0	146	117
	AMBW 514S (1)	-2.1	+7.0	110	" 9W	13.0	157	107
	"	"	"	"	" 11W	15.5	149	99
	"	"	"	"	" 15W	14.7	144	114
Turko, D. Newbrook 576-2315	12 month average				(Not Available)			
	GARY 315T				DANY 2W	15.7	152	
	"				" 32W	18.7	132	
Vandenberg, J. Camrose 672-6177	12 month average				52 pigs	(15.1)	(156)	100
	ASCG 180T				ASCG 2W	15.9	149	105
	"				" 5W	17.2	162	64
	ASCG 54T	+1.5	-6.4	98	" 15W	19.9	153	50
Wilhelm, L. Vermillion 853-2411	12 month average				(Not Available)			
	AMBW 514S (1)	-2.1	+7.0	110	LWAS 1W	16.5	147	
	"	"	"	"	" 3W	15.2	150	
	"	"	"	"	" 5W	13.4	150	

LANDRACE

Barrett, R. & A. Ponoka 783-5192	12 month average				125 pigs	(15.4)	(137)	100
	ROYS 402T				ROYS 527U	13.1	151	91
	ROYS 61U				" 548U	12.5	142	115
	"				" 549U	11.8	144	118
	"				" 550U	13.6	148	92
	ROYS 94T	-0.7	-3.0	123	" 20W	12.3	130	141
	"	"	"	"	" 21W	12.9	136	122
	"	"	"	"	" 22W	12.0	134	136
	"	"	"	"	" 23W	13.9	129	129
	"	"	"	"	" 31W	11.3	128	156
	ROYS 402T				" 38W	13.6	126	126
	"				" 39W	15.0	123	131
	"				" 40W	14.7	126	128
	"				" 42W	14.1	117	151
	"				" 43W	13.7	120	149

BREEDER & TELEPHONE	SIRE IDENTIFICATION	FAT (MM)	SIRE E.B.V. AGE (DAYS)	SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
Knobben, J. Farvie 54-2647	12 month average				(Not Available)			
	GARY 31T	-1.5	-3.3	138	AREE 712U	12.2	154	
	"	"	"	"	" 711U	12.9	152	
	GXKS 390R (2)	0.0	-1.8	107	" 2W	15.0	147	
	"	"	"	"	" 3W	12.7	151	
	"	"	"	"	" 4W	10.5	152	
	"	"	"	"	" 5W	11.2	144	
Lakeland College Merrimion 53-2791 Ext. 260	12 month average				76 pigs	(15.1)	(164)	100
	JBFA 2S (1)	-1.2	-10.0	158	ATAT 766U	12.7	172	112
	"	"	"	"	" 767U	14.7	157	114
	"	"	"	"	" 789U	13.5	155	130
	"	"	"	"	" 790U	15.5	161	100
	"	"	"	"	" 791U	13.4	167	112
	DLDA 557S (1)	-0.7	-4.4	128	" 001W	14.2	155	122
	"	"	"	"	" 004W	13.3	150	140
	"	"	"	"	" 009W	16.2	156	100
	"	"	"	"	" 013W	12.1	142	164
	"	"	"	"	" 019W	12.9	153	140
	"	"	"	"	" 026W	14.5	135	149
	"	"	"	"	" 027W	13.8	144	143
	"	"	"	"	" 028W	12.8	148	147
	"	"	"	"	" 029W	13.2	142	152
Matějka, T. Mylan Lake 87-2656	12 month average				(Not Available)			
	ARHL 313T (1)	-1.6	-0.8	129	TONY 3020U	12.9	165	
	"	"	"	"	" 3025U	12.7	164	
	"	"	"	"	" 3027U	15.9	179	
	"	"	"	"	" 41W	13.5	152	
	"	"	"	"	" 70W	10.7	146	
Milne, B. Monoka 83-6695	12 month average				41 pigs	(13.6)	(148)	100
	DLDA 557S (1)	-0.7	-4.4	128	MILN 885U	12.4	155	109
	"	"	"	"	" 886U	12.0	152	119
	"	"	"	"	" 887U	11.3	162	116
	"	"	"	"	" 888U	11.0	152	133
	ARHL 313T (1)	-1.6	-0.8	129	" 31W	11.7	124	160
	"	"	"	"	" 32W	11.7	136	145
Prinville Colony Prinville 89-2118	12 month average				34 pigs	(13.0)	(147)	100
	DUFF 710T				MCMC 201W	13.6	161	73
	"				" 202W	13.8	151	86
	"				" 203W	12.8	155	90
	"				" 204W	11.6	147	114
	ARHL 948S	-2.1	-0.6	137	" 211W	10.9	144	125
	"	"	"	"	" 212W	13.4	144	100
	"	"	"	"	" 214W	11.2	143	122

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	TO 90 KG	
Morinville Colony (continued)	ARHL 948S	-2.1	-0.6	137	MCMC 215W	12.5	152		98
	"	"	"	"	" 216W	12.9	144		105
	"	"	"	"	" 220W	14.4	129		111
	"	"	"	"	" 221W	15.7	134		91
	"	"	"	"	" 227W	14.6	137		98
	"	"	"	"	" 228W	15.0	142		86
	"	"	"	"	" 0220W	13.3	130		122
Wakeena Farm Bentley 748-4252	12 month average KEEN 430T "				(Not Available) KEEN 240U " 241U	17.7 17.4	149 150		
<u>LACOMBE</u>									
Gwynne Vista Farms Gwynne 352-2998	12 month average JA 522S KR 8904S "	-0.9 -2.3 "	+4.4 +2.4 "	104 142 "	105 pigs KR 16302U " 16703U " 16704U	(13.5) 9.6 12.0 13.5	(166) 177 160 163		100 121 125 104
<u>HAMPSHIRE</u>									
Lepp, S. Wembley 766-2583	12 month average JKAA 1165T				(Not Available) 545U	13.1	170		
Rice, R. Ardrossan 998-2794	12 month average AOJW 372T " " " AHPZ 20S				(Not Available) AHPZ 333U " 334U " 336U " 337U " 338U	14.4 13.5 13.3 14.6 12.0	180 167 169 157 159		
<u>DUROC</u>									
Milne, B. Ponoka 783-6695	12 month average KTDA 262T (1)				(Not Available) MILN 882U	11.5	171		
<u>CROSSBRED</u>									
Morinville Colony Morinville 939-2118	12 month average ARHL 730R AREE 250S ARHL 948S "	0.0 -2.1 "	-2.1 -0.6 "	108 137 "	43 pigs 862U 871U 942U 943U	(14.0) 12.9 13.0 13.2 10.6	(166) 183 173 169 157		100 90 102 105 143

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV	INDEX				
Branchview Test Barn 12 month average						1180 pigs	(13.4)	(152)	100
entley 48-3802	RFAA 671P					4426U	13.2	159	88
	RFAA 2165T					4474U	12.7	164	84
	RFAA 111S					4521U	12.0	152	118
	"					4522U	13.5	158	86
	RFAA 2163T					4531U	10.7	149	140
	RFAA 671P					4552U	15.1	148	89
	RFAA 2165T					4574U	14.1	147	102
	RFAA 671P					4601U	11.4	158	113
	RFAA 110S					4621U	13.3	144	118
	"					4622U	12.1	145	131
	"					4623U	12.5	156	103
	RFAA 111S					4413U	12.7	163	87
	RFAA 147S					4442U	10.4	172	95
	RFAA 110S					4493U	14.6	157	76
	RFAA 111S					4523U	12.5	161	92
	RFAA 2162T					45310U	10.6	157	124
	RFAA 1791T					4543U	11.4	166	96
	RFAA 671P					4551U	12.0	156	108
	RFAA 111S					4592U	12.5	154	107
	RFAA 671P					4602U	11.7	160	104
	RFAA 111S					4631U	13.7	150	102
	"					4633U	13.6	152	97
	"					4634U	16.9	155	53
	RFAA 2162T					4652U	11.6	153	121
	"					4664U	13.9	155	88
	"					04664U	13.6	154	95
	RFAA 111S					4672U	11.8	149	125
	RFAA 3273T					4751W	15.0	149	87
	"					4752W	12.2	147	126
	"					4753W	14.1	142	112
	"					4754W	13.8	141	118
Branchview Farm "B" 12 month average						185 pigs	(14.1)	(160)	100
entley 48-3802	RFAA 5003T					6868U	11.7	167	112
	RFAA 2259T					6888U	12.0	164	115
	"					68810U	12.1	156	129
	"					68811U	11.4	167	116
	"					68812U	12.7	160	115
	"					68814U	12.6	159	118
	RFAA 6995T					6904U	11.1	155	141
	JBFA 2S (1)					6956U	12.8	155	122
	RFAA 2259T					7146U	12.3	153	132
	"					7147U	13.3	145	136
	"					7148U	11.4	156	136
	"					7149U	12.0	153	135
	"					71413U	13.0	146	138

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)				TO 90 KG	INDE
Ranchview Farms (continued)	B RFAA 5999T				7194U	12.7	153	127
	"				7195U	11.9	145	150
	"				7196U	11.9	154	134
	"				7197U	12.4	154	129
	"				7198U	11.0	151	149
Vandenberg, J. Camrose 672-6177	12 month average ASCG 63T				(Not Available)			
	"				30W	13.0	153	
	"				31W	12.7	158	
	"				33W	15.0	156	

G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Gwynne Vista Farms Gwynne 352-2998	96	14.9	176	June 1 - 15	18	12.5	178
Knobben, G. Jarvie	53	13.9	163	"	5	12.0	160
Matejka, G. Sylvan Lake 887-2656	285	14.3	172	"	12	12.9	176
Milne, B. Ponoka 783-6695	174	15.2	158	"	10	12.2	154
Morinville Colony Morinville 939-2118	(Not Available)			"	2	14.4	143
Reiter Farms Iron Springs 738-4472	198	14.8	160	"	18	11.7	161
Rice, R. Ardrossan 998-2794	36	15.0	168	"	1	10.3	181
Roeske, M. Alcomdale 939-4938	194	16.9	163	"	12	15.9	152
Turko, D. Newbrook 576-2315	37	15.7	156	"	5	17.3	162
Vandenberg, J. Camrose 672-6177	26	15.0	166	"	2	20.4	154
Wilhelm, L. Vermilion 853-2411	(Not Available)			"	2	19.5	148

BREEDER ADDRESS & TELEPHONE	# PROBED	12 MONTH AVERAGE		DATE	PROBE PERIOD		
		BACKFAT (MM)	AGE (DAYS)		# PROBED	AVG. B.F.	AVG. AGE
<u>LANDRACE</u>							
Barrett, R. & A. Ponoka 783-5192	183	16.9	144	June 1 - 15	15	13.2	135
Lakeland College Vermilion 853-2971 Ext. 260	99	16.0	166	"	35	15.0	166
Milne, B. Ponoka 783-6695	59	14.6	152	"	3	13.4	146
Morinville Colony Morinville 939-2118	28	14.7	152	"	9	13.8	144
Wakeena Farm Bentley 748-4252	44	15.5	161	"	2	13.4	153
<u>LACOMBE</u>							
Gwynne Vista Farms Gwynne 352-2998	171	14.9	172	"	15	12.7	178
<u>HAMPSHIRE</u>							
Lepp, S. Wembley 766-2583	(Not Available)			"	4	13.9	180
Reiter Farms Iron Springs 738-4472	(Not Available)			"	1	15.4	165
Rice, R. Ardrossan 998-2794	(Not Available)			"	4	13.1	163
<u>DUROC</u>							
Milne, B. Ponoka 783-6695	(Not Available)			"	2	14.1	164

BREEDER ADDRESS & TELEPHONE	# PROBED	12 MONTH AVERAGE		DATE	PROBE PERIOD		
		BACKFAT (MM)	AGE (DAYS)		# PROBED	AVG. B.F.	AVG. AGE
<u>CROSSBRED</u>							
Barrett, R. & A. Ponoka 783-5192	(Not Available)			June 1 - 15	4	14.5	139
Gwynne Vista Farms Gwynne 352-2998	184	14.9	169	"	15	13.0	168
Lepp, S. Wembley 766-2583	148	16.0	172	"	48	15.2	185
Milne, B. Ponoka 783-6695	328	15.1	155	"	4	14.0	141
Morinville Colony Morinville 939-2118	178	15.1	176	"	34	15.0	171
Ranchview Test Barn Bentley 748-3802	66	15.0	165	"	24	13.6	181
Ranchview Farms "B" Bentley 748-3802	748	15.6	160	"	50	13.9	156
Weber Farms Ltd. Castor 882-2572	36	15.1	159	"	25	15.4	154
Woelk Farms, Unit #1 Millet 387-4801	96	17.9	174	"	6	14.0	189
Woelk Farms, Unit #2 Millet 387-4801	100	16.7	176	"	7	15.0	174



Alberta Swine Improvement Program

CANADIANA

JUL 14 1987

AL.1.827

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
June 16 - 30, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV	INDEX				
YORKSHIRE									
gra Farms Ltd. kotoks 38-7741	12 month average					118 pigs	(14.3)	(160)	100
	ARHL 521T	-0.8	-9.3	152	ARHL 6W		13.4	163	109
	"	"	"	"	" 7W		13.7	151	122
	ARHL 827T	-0.7	-4.7	130	" 33W		12.3	171	113
	"	"	"	"	" 34W		11.8	156	144
	ARHL 521T	-0.8	-9.3	152	" 38W		15.6	147	102
	"	"	"	"	" 39W		13.1	155	126
	RITR 505U				" 60W		12.6	145	150
	"				" 62W		12.0	141	164
Loomsbury Farms Loomsbury 74-3307	12 month average					25 pigs	(15.8)	(159)	100
	WM 805U				WM 210W		14.8	148	122
	"				" 606W		17.8	132	112
raat, J. aldale 27-9757	12 month average					112 pigs	(11.9)	(147)	100
	ARBF 784T				ARBF 954U		11.0	179	51
	"				" 35W		12.3	173	48
	"				" 36W		10.6	168	77
	ANZI 3863P	-2.0	+7.8	106	" 42W		10.4	162	91
	"	"	"	"	" 49W		10.7	157	96
rownlee, J. airy Hill 8-2313	12 month average					71 pigs	(14.5)	(163)	100
	AHKP 0850S	+0.5	-6.2	114	AHKP 4W		16.3	157	92
	"	"	"	"	" 13W		11.1	163	131
	"	"	"	"	" 14W		14.3	151	117
	"	"	"	"	" 17W		16.3	156	93
	"	"	"	"	" 18W		16.3	156	93
	"	"	"	"	" 19W		13.8	157	114
	"	"	"	"	" 22W		16.5	160	86
ingfield, B. aldale 5-3420	12 month average					68 pigs	(14.1)	(163)	100
	KKEF 3447S	-1.2	-1.7	129	AOGK 961U		13.1	172	100
	KKEF 1304S	-1.6	+1.3	124	" 51W		14.3	168	92
	"	"	"	"	" 52W		16.6	154	83
	KKEF 3447S	-1.2	-1.7	129	" 71W		12.4	159	126
	"	"	"	"	" 73W		14.2	165	96
	AOGK 371T	-0.9	-6.7	143	" 91W		15.4	150	105
	"	"	"	"	" 93W		19.3	155	50

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)					
Five Lakes Farms Mayerthorpe 786-4373	12 month average				217 pigs	(13.4)	(158)	100
	JKAA 0792P	-0.2	-1.0	108	JKAA 20005U	15.2	187	55
	JKAA 982S	+1.5	+1.8	67	" 201W	13.4	166	92
	RITR 964T				" 302W	13.8	184	71
	"				" 303W	13.5	184	71
	"				" 304W	12.3	173	95
	"				" 305W	13.3	180	79
	"				" 309W	13.8	171	84
	"				" 310W	14.6	177	71
	JKAA 4202U				" 501W	13.0	172	90
	"				" 502W	9.1	177	119
	"				" 1104W	14.3	160	90
	JKAA 4207U				" 1202W	8.5	162	140
	RITR 964T				" 1501W	11.7	167	106
	"				" 1502W	12.2	158	111
	JKAA 4202U				" 1602W	10.6	161	122
	"				" 1603W	10.8	169	112
	JKAA 4207U				" 2403W	12.3	153	115
	JKAA 5006U				" 2601W	13.8	156	99
	"				" 2604W	15.0	150	94
Gwynne Vista Gwynne 352-2998	12 month average				58 pigs	(14.0)	(170)	100
	KKEF 2332T				GWYN 501W	12.6	161	124
	"				" 503W	14.7	158	111
	"				" 605W	16.0	159	98
	AOCK 741T				" 1006W	12.2	156	134
	"				" 1701W	13.1	145	142
	"				" 1705W	12.5	145	146
Maschmeyer, D. Bruderheim 998-2845	12 month average				58 pigs	(14.0)	(148)	100
	DOUG 334T	-0.8	-2.9	126	DOUG 22W	12.1	165	86
Maschmeyer, G. Bruderheim 998-2484	12 month average				37 pigs	(14.3)	(141)	100
	DOUG 334T	-0.8	-2.9	126	HILL 4W	16.4	171	40
	AOVX 158N	-0.3	-5.6	128	" 15W	15.5	137	98
	"	"	"	"	" 16W	16.0	129	105
	"	"	"	"	" 17W	14.6	145	91
	DOUG 800T				" 21W	12.2	130	133
	"				" 22W	16.6	142	82
	"				" 23W	15.9	134	98
	DOUG 334T	-0.8	-2.9	126	" 37W	15.4	144	87

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)						
Carthy, J. Indale 42-4531	12 month average					50 pigs	(16.8)	(152)	100
	ASZT 214T					ASZT 20W	11.9	150	159
	"					" 21W	12.2	149	156
	ASZT 44T	+2.9	-2.6	57		" 30W	16.9	133	131
	"	"	"	"		" 32W	19.5	141	87
	ASZT 214T					" 40W	15.7	139	134
	"					" 41W	12.9	138	168
	"					" 50W	14.8	137	147
lne, B. onoka 43-6695	12 month average					128 pigs	(14.1)	(149)	100
	KKEF 2332T (1)					MILN 40W	11.1	148	141
	"					" 41W	12.0	147	132
	"					" 045W	13.4	150	108
	ABEM 701T (1)					" 60W	15.0	144	97
	"					" 61W	14.3	138	119
	"					" 62W	12.6	142	134
rinville Colony rinville 9-2118	12 month average					(Not Available)			
	JKAA 1061T					MCMC 72W	13.2	167	
iter Farms Ltd. on Springs 8-4472	12 month average					123 pigs	(13.0)	(152)	100
	KKEF 440T	-1.6	-1.6	136		RITR 46W	11.5	154	110
	"	"	"	"		" 47W	10.3	164	102
	"	"	"	"		" 48W	12.9	164	78
	RITR 664T	-1.8	-4.5	149		" 72W	12.2	131	146
	"	"	"	"		" 74W	14.1	129	131
	"	"	"	"		" 75W	10.3	129	167
	KKEF 1053S	-2.6	-1.1	150		" 93W	14.3	146	98
	"	"	"	"		" 94W	12.9	131	139
	"	"	"	"		" 97W	9.9	135	160
	"	"	"	"		" 98W	10.1	140	149
	"	"	"	"		" 154W	12.5	143	121
	KKEF 440T	-1.6	-1.6	136		" 168W	13.0	139	123
	JKAA 562S	0.0	-8.9	135		" 175W	16.9	133	99
	"	"	"	"		" 177W	13.8	133	128
	RITR 664T	-1.8	-4.5	149		" 190W	14.5	135	117
	"	"	"	"		" 195W	12.6	137	131
eske, M. comdale 9-4938	12 month average	-2.1	+7.0	110		46 pigs	(15.1)	(150)	100
	AMBW 514S (1)					ROSE 25W	12.6	143	133
	"					" 33W	15.7	152	93
	"					" 36W	12.4	145	132
	"					" 37W	10.9	151	136
	ANZI 2482T (2)					" 60W	16.1	142	104

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)					
West, N. & T.J. Radway 736-3790	12 month average				24 pigs	(14.2)	(162)	100
	JKAA 421T	-0.8	-5.6	135	ATED 50W	12.0	143	143
	"	"	"	"	" 57W	12.0	150	135
	"	"	"	"	" 58W	10.7	144	155
	"	"	"	"	" 66W	12.6	136	146
	"	"	"	"	" 67W	12.0	136	152
<u>LANDRACE</u>								
Agra Farms Ltd. Okotoks 938-7741	12 month average				139 pigs	(13.6)	(164)	100
	ARHL 311T	-1.0	-6.8	142	ARHL 15W	14.1	150	117
	"	"	"	"	" 16W	12.0	152	136
	ARHL 39U				" 22W	14.1	150	116
	"				" 23W	11.9	151	139
	ARHL 311T	-1.0	-6.8	142	" 52W	10.7	140	171
	"	"	"	"	" 53W	14.5	146	117
	"	"	"	"	" 54W	13.3	151	124
	ARBU 262U				" 81W	11.0	131	182
	"				" 82W	12.4	136	157
	"				" 83W	10.2	132	191
	"				" 84W	8.9	133	202
	"				" 85W	12.3	139	154
Barrett, R. & A. Ponoka 783-5192	12 month average				125 pigs	(15.4)	(137)	100
	ROYS 94T	-0.7	-3.0	123	ROYS 30W	12.9	147	102
	ROYS 402T				" 47W	14.5	140	101
	"				" 48W	12.8	136	123
	"				" 49W	13.1	144	107
	ROYS 94T	-0.7	-3.0	123	" 57W	17.1	127	104
	"	"	"	"	" 58W	16.3	137	91
	"	"	"	"	" 59W	16.4	133	99
Braat, J. Coaldale 327-9757	12 month average				42 pigs	(13.9)	(149)	100
	ASDZ 541S	+0.9	-1.4	91	ARBF 102W	13.0	143	117
Duff, D. Fort Saskatchewan 998-3101	12 month average				59 pigs	(14.8)	(151)	100
	DUFF 544T	-1.2	-5.8	142	DUFF 51W	13.4	154	106
	MCMC 8T	-1.2	-3.8	134	" 60W	16.5	154	83
	"	"	"	"	" 61W	13.2	159	100
	"	"	"	"	" 62W	14.4	159	91

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Ringfield, B. Walldale 45-3420	12 month average AOGK 732T				(Not Available) AOGK 112W	16.4	153	
Wakeland College Hermilion 53-2971, Ext. 260	12 month average JBFA 2S (1)	-1.2	-10.0	158	76 pigs ATAT 045W	(15.1)	(164)	100
	"	"	"	"	" 047W	13.7	153	131
	"	"	"	"	" 055W	12.9	154	138
	"				" 059W	12.7	153	141
	"				" 063W	14.5	158	115
	"				" 064W	15.9	159	99
	"				" 067W	13.8	159	121
	"					13.2	171	108
Schmeyer, G. Ruderheim 98-2845	12 month average HILL 15S	+1.4	+6.7	51	17 pigs HILL 4W	(13.8)	(137)	100
	"	"	"	"	" 7W	14.1	144	
	"	"	"	"	" 8W	13.3	140	
	"	"	"	"	" 9W	13.2	145	
	"	"	"	"		11.3	131	
Line, B. Wink 83-6695	12 month average ARHL 313T (1)	-1.6	-0.8	129	41 pigs MILN 30W	(13.6)	(148)	100
	"	"	"	"	" 31W	13.0	143	116
	"	"	"	"	" 33W	12.4	146	120
	"	"	"	"	" 030W	11.7	144	133
	"	"	"	"	" 48W	11.5	153	125
	"	"	"	"	" 49W	13.7	144	104
	"	"	"	"	" 53W	12.5	140	126
	ARBU 262U (1)				" 86W	14.4	155	78
	"				" 88W	12.4	135	134
	"				" 89W	11.4	135	150
	"				" 90W	12.6	131	138
	"				" 91W	10.2	135	168
	"				" 96W	11.8	129	151
	"				" 98W	11.7	139	141
	"				" 106W	10.8	141	151
	"				" 107W	12.0	141	134
	"					12.6	141	125
Winnville Colony Winnville 9-2118	12 month average MCMC 021T	+0.8	+0.4	86	34 pigs MCMC 231W	(13.0)	(147)	100
	"				" 232W	15.3	140	86
	"					12.6	156	90

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)					
Neufeld Farms Ltd.	12 month average				(Not Available)			
Acme								
546-3969	ARHL 313T (1)	-1.6	-0.8	129	NEUF 5W	12.0	147	
	"	"	"	"	" 7W	13.6	146	
	"	"	"	"	" 8W	14.1	139	
	"	"	"	"	" 9W	14.8	146	
	"	"	"	"	" 10W	14.4	147	
	"	"	"	"	" 11W	12.9	142	
Reiter Farms Ltd.	12 month average				(Not Available)			
Iron Springs								
738-4472	TONY 1061S	-1.7	+1.9	120	RITR 57W	12.1	152	
	"	"	"	"	" 59W	13.3	164	
<u>LACOMBE</u>								
Bloomsbury Farms	12 month average				65 pigs	(16.6)	(146)	100
Bloomsbury								
674-3307	BL 505U				BL 206W	16.0	144	111
	BL 206U				" 406W	17.2	144	96
	"				" 407W	18.1	147	82
	BL 1106U				" 608W	15.5	140	121
	BL 606U				" 1004W	12.9	137	154
	"				" 1006W	14.6	134	141
	"				" 1009W	16.8	140	109
	"				" 1010W	15.2	134	135
	"				" 1011W	17.2	139	107
	BL 505U				" 1111W	15.1	135	134
	BL 606U				" 1204W	13.4	134	154
	"				" 1212W	15.2	134	135
	BL 206U				" 1305W	15.3	127	147
	"				" 1307W	16.9	133	118
	"				" 1308W	16.4	133	125
	"				" 1309W	18.5	126	114
Five Lakes Farms	12 month average				144 pigs	(13.5)	(155)	100
Mayerthorpe								
786-4373	KR 1303S	-2.1	-0.8	149	JA 103W	13.6	182	60
	JA 2202U				" 702W	10.9	164	110
	KR 1303S	-2.1	-0.8	149	" 3204W	14.3	138	118
	"	"	"	"	" 3205W	16.9	143	88
Gwynne Vista	12 month average				105 pigs	(13.5)	(166)	100
Gwynne								
352-2998	KR 8904S	-2.3	+2.4	142	KR 16703U	12.5	165	112
	"	"	"	"	" 16704U	13.0	170	98
	JA 522S	-0.9	+4.4	104	" 301W	14.0	169	90
	"	"	"	"	" 303W	15.9	175	60
	"	"	"	"	" 304W	12.6	170	102

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
HAMPSHIRE									
Loomsbury Farms	12 month average					35 pigs	(14.1)	(165)	100
Loomsbury									
74-3307	WM 510U				WM	403W	14.2	154	126
	"				"	404W	14.4	155	123
	"				"	405W	13.4	153	136
	"				"	406W	11.8	145	161
Maat, J.	12 month average					26 pigs	(13.6)	(142)	100
Waldale									
7-9757	ARBF 656T	-0.8	-7.3	149	ARBF	59W	12.1	146	107
	"	"	"	"	"	60W	12.7	154	89
Downlee, J.	12 month average					51 pigs	(12.7)	(176)	100
Wiry Hill									
8-2313	JKAA 811R	-0.1	-1.9	109	AHKP	592U	14.6	181	67
	"	"	"	"	"	596U	12.6	174	103
	"	"	"	"	"	25W	11.4	191	99
De Lakes Farms	12 month average					123 pigs	(12.6)	(163)	100
Wetherthorpe									
6-4373	NP 1310T				JKAA	19804U	14.4	188	55
	AOZM 333T (1)				YAP	20102U	12.5	179	83
	"				"	20105U	13.3	166	90
	"				"	20106U	11.8	188	79
	JKAA 145S				JKAA	20201U	14.6	183	59
	"				"	20202U	13.9	182	67
	JKAA 1165T				"	605W	12.4	167	97
	AOZM 333T (1)				"	801W	15.4	170	67
	JKAA 1165				YAP	1304W	14.2	168	80
	NP 1310T				JKAA	1404W	16.0	171	60
	JKAA 1455T				"	2201W	13.2	163	95
	"				"	2203W	12.9	157	104
	"				"	2204W	14.3	152	97
Carthy, J.	12 month average					(Not Available)			
Waldale									
2-4531	WM 708U				ASZT	12W	14.8	163	
	"				"	13W	12.9	157	
Line, B.	12 month average					(Not Available)			
Woking									
3-6695	AOZM 333T (1)				MILN	58W	14.2	135	
Water Farms Ltd.	12 month average					(Not Available)			
Wotton Springs									
8-4472	AHKP 580T				RITR	144W	13.5	142	
	"				"	223W	13.2	142	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IND
		FAT (MM)	AGE (DAYS)	EBV INDEX					
DUROC									
Baert, M. Barrhead 674-3953	12 month average ATJG 04U (1)					20 pigs BART 6W	(14.8) 14.3	(157) 151	100 118
Maschmeyer, G. Bruderheim 998-2845	12 month average AOUD 1512R "					45 pigs HILL 12W " 14W	(14.2) 14.5 14.8	(149) 138 137	100 114 112
Neufeld Farms Ltd. Acme 546-3969	12 month average NEUF 180T " ARVY 557S (1) " NEUF 180T " "					58 pigs NEUF 321U " 4W " 8W " 9W " 19W " 20W " 21W	(13.8) 14.5 12.7 10.6 13.2 13.0 13.3 11.7	(164) 165 165 152 180 156 165 171	100 86 117 172 87 125 106 126
		-0.8	+0.9	114					
Reiter Farms Ltd. Iron Springs 738-4472	12 month average HILL 161T "					(Not Available) RITR 187W " 188W	 13.9 14.4	 144 142	
CROSSBRED									
Agra Farms Ltd. Okotoks 938-7741	12 month average RITR 505U " " "					(Not Available) 8 BF 70W " 71W " 72W " 73W	 16.9 13.3 16.6 12.6	 134 138 132 139	
Bloomsbury Farms Bloomsbury 674-3307	12 month average BL 15509T					(Not Available) 8 KJ 306W	 14.1	 149	
Braat, J. Coaldale 327-9757	12 month average ASDZ 541S " ANZI 3863P ARBF 784T ARBF 656T					113 pigs 17W 23W 48W 66W 91W	(13.3) 11.5 14.5 12.1 10.3 10.5	(143) 167 155 164 159 147	100 70 65 71 98 121
		+0.9	-1.4	91					
		"	"	"					
		-2.0	+7.8	106					

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)				TO 90 KG	TO 90 KG	
Jacobsson, G. eerlandia 74-4867	12 month average JA 304R				(Not Available) 305W	10.8	167		
aschmeyer, G. ruderheim 98-2845	12 month average HILL 15S " "	+1.4 " "	+6.7 " "	51 " "	14 pigs 8 GM 6W " 7W " 8W	(14.1) 14.7 9.8 12.1	(141) 144 146 144		100
uefeld Farms Ltd. cme 46-3969	12 month average 328L " 172Y " 292L 309L 332Y " "				99 pigs 1721U 1732U 137W 139W 226W 348W 813W 814W 815W	(13.9) 9.4 10.3 15.8 13.4 17.2 12.3 15.2 16.8 14.8	(155) 192 192 154 157 164 153 163 170 169		100
anchview Test Barn entley 8-3802	12 month average RFAA 110S RFAA 2162T " RFAA 111S RFAA 2165T RFAA 2162T " RFAA 111S " " " RFAA 110S " " " " RFAA 1791T RFAA 639U " " RFAA 110S " " " "				1180 pigs 4641U 4657U 46612U 4672U 4681U 4731U 4732U 4762U 4763U 4772U 11W 12W 14W 17W 25W 42W 51W 53W 61W 62W 63W 64W 613W	(13.4) 12.7 12.0 12.7 12.5 12.2 15.4 12.4 16.1 15.4 11.9 11.1 12.6 13.7 13.1 12.4 10.8 12.0 11.7 14.2 13.7 12.6 14.6 12.7	(152) 172 160 167 164 169 156 156 162 154 156 152 159 150 153 161 154 163 150 154 146 155 146 147		100
									68 102 78 86 80 68 104 47 72 110 127 96 102 102 95 129 94 124 88 109 104 99 119

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	TO 90 KG			TO 90 KG		
Ranchview Test (continued)	RFAA 639U					92W	13.3	159		88
	"					95W	14.3	162		69
	AZOM 333T (1)					111W	14.3	146		103
	"					112W	12.1	144		133
	RFAA 1791T					122W	14.0	150		96
	RFAA 111S					134W	13.8	143		114
	"					152W	14.6	139		112
	"					154W	13.7	149		103
	RFAA 3523T					172W	12.9	147		118
	RFAA 671P					181W	12.6	147		120
	RFAA 111S					4764U	13.8	161		76
	RFAA 1791T					28W	13.2	167		72
	RFAA 639U					55U	11.4	158		113
	"					56U	13.7	153		94
	"					91W	13.4	163		78
	"					93W	16.3	151		67
	RFAA 1791T					121W	13.3	148		111
	"					124W	12.6	151		112
	RFAA 2165T					192W	12.0	144		134
	"					193W	11.6	144		139
	RFAA 110S					212W	13.5	149		106
	RFAA 111S					221W	13.1	149		111
	"					221W	12.1	151		118
	"					224W	14.4	150		92
	"					225W	13.4	150		104
	"					226W	14.4	148		97
	RFAA 110S					241W	12.6	144		127
	RFAA 3522T					251W	14.8	149		90
	"					252W	14.5	149		93
	"					253W	13.0	146		118
	"					254W	12.5	143		130
	RFAA 3271T					262W	13.1	149		110
	RFAA 110S					281W	11.9	141		140
	"					284W	12.1	145		131
	RFAA 2162T					291W	13.3	139		130
	RFAA 671P					302W	13.4	147		112
	"					303W	12.2	148		123
	"					304W	14.8	147		94
	"					306W	14.1	139		119
	RFAA 110S					313W	13.7	150		102
	RFAA 3533T					322W	12.7	143		128
	RFAA 671P					341W	14.8	138		111
	"					344W	13.6	151		102
	RFAA 110S					362W	13.7	139		123
	RFAA 1791T					371W	14.7	144		102
	"					373W	14.5	149		95
	"					383W	15.2	146		93
	"					0383W	13.8	136		130
	RFAA 3523T					406W	13.9	145		109

12 MONTH AVERAGE

PROBE PERIOD

BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	AGE DATE	PROBED	# B.F.	AVG. AGE	AVG.
<u>YORKSHIRE</u>								
Agra Farms Ltd. Okotoks 938-7741	149	14.9	163	June 15 - 30		10	15.0	155
Baert, M. Barrhead 674-3953	(Not Available)			"		4	13.6	134
Bloomsbury Farms Bloomsbury 674-3307	34	16.9	164	"		3	16.9	140
Braat, J. Coaldale 327-9757	246	12.2	155	"		8	11.1	162
Brownlee, J. Hairy Hill 768-2313	63	15.2	168	"		4	17.9	158
Eringfeld, B. Coaldale 345-3420	118	15.4	170	"		7	15.5	166
Five Lakes Farms Mayerthorpe 786-4373	174	14.8	169	"		34	13.2	169
Gwynne Vista Farms Gwynne 352-2998	96	14.9	176	"		9	14.1	163
Maschmeyer, G. Bruderheim 998-2845	29	14.7	148	"		9	14.3	153
Milne, B. Ponoka 783-6695	174	15.2	158	"		3	13.7	153
Morinville Colony Morinville 939-2117	(Not Available)			"		3	14.4	159
Reiter Farms Iron Springs 738-7742	198	14.8	160	"		22	14.3	149

12 MONTH AVERAGE				PROBE PERIOD			
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AGE
Roeske, M. Alcomdale 939-4938	194	16.9	163	"	11	15.8	1
LANDRACE							
Agra Farms Ltd. Okotoks 938-7741	178	13.8	165	June 15 - 30	18	13.9	1
Barrett, R. & A. Ponoka 783-5192	183	16.9	144	"	10	14.7	1
Braat, J. Coaldale 327-9757	55	15.0	155	"	3	14.0	1
Duff, D. Fort Saskatchewan 998-3101	105	14.9	151	"	15	14.2	1
Lakeland College Vermilion 853-2971,Ext.260	99	16.0	166	"	8	14.7	1
Maschmeyer, G. Bruderheim 998-2845	11	14.4	141	"	2	12.6	1
Milne, B. Ponoka 783-6695	59	14.6	152	"	12	12.8	1
Morinville Colony Morinville 939-2118	28	14.7	152	"	4	12.9	1
Neufeld Farms Acme 546-3969	(Not Available)			"	3	15.8	14
Reiter Farms Ltd. Iron Springs 738-4472	(Not Available)			"	4	13.8	16
LACOMBE							
Bloomsbury Farms Bloomsbury 674-3307	74	17.0	151	"	20	16.1	14

BREEDER ADDRESS & TELEPHONE	# PROBED	12 MONTH AVERAGE		PROBE PERIOD			
		BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Five Lakes Farms Mayerthorpe 786-4373	118	15.3	168	"	5	12.0	171
Gwynne Vista Farms Gwynne 352-2998	171	14.9	172	"	2	14.4	170
<u>HAMPSHIRE</u>							
Bloomsbury Farms Bloomsbury 674-3307	48	14.2	180	June 15 - 30	5	15.0	152
Braat, J. Coaldale 327-9757	26	14.5	148	"	3	12.8	160
Brownlee, J. Hairy Hill 768-2313	53	13.4	180	"	2	14.2	180
Five Lakes Farms Mayerthorpe 786-4373	114	13.6	175	"	7	14.0	184
McCarthy, J. Lindale 542-4531	(Not Available)			"	2	14.1	164
Milne, B. Ponoka 783-6695	(Not Available)			"	1	13.1	138
<u>DUROC</u>							
Baert, M. Barrhead 674-3953	(Not Available)			"	2	18.2	153
Maschmeyer, G. Bruderheim 998-2845	39	15.9	146	"	3	13.6	145
<u>CROSSBRED</u>							
Baert, M. Barrhead 674-3953	116	16.4	150	"	11	16.4	145
Bloomsbury Farms Bloomsbury 674-3307	23	15.8	135	"	5	20.7	137

BREEDER ADDRESS & TELEPHONE	# PROBED	12 MONTH AVERAGE		PROBE PERIOD		
		BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.
Braat, J. Coaldale 327-9757	73	14.2	150	"	4	10.7
Gwynne Vista Farms Gwynne 352-2998	184	14.9	172	"	4	16.4
Jacobsson, G. Neerlandia 674-4867	177	15.6	165	"	24	13.7
Maschmeyer, G. Bruderheim 998-2845	8	16.4	148	"	1	16.4
Milne, B. Ponoka 783-6695	328	15.1	155	June 15 - 30	12	13.5
Olds College Olds 556-8393	456	15.6	162	"	22	15.3
Ranchview Test Barn Bentley 748-3802	66	15.0	165	"	27	13.6
Ranchview Farms "B" Bentley 748-3802	748	15.6	168	"	20	13.8
West, N. & T.J. Radway 736-3790	224	16.6	163	"	6	15.7